

**LISTING OF CLAIMS**

The Listing of Claims will replace all prior versions, and listings, of claims in the above-identified application. Deleted matter is indicated by strikethrough, and added matter is indicated by underlining.

**CLAIMS:**

1. (Previously Presented) A multi-component catalyst structure for the polycondensation of a polyester monomer comprising the element germanium in an amount of from 1 part per million to 200 parts per million, and one or more catalyst enhancers selected from the group of elements consisting of aluminum in an amount from 1 part per million to 400 parts per million, silicon in an amount from 1 part per million to 400 parts per million, molybdenum in an amount from 1 part per million to 200 parts per million, manganese in an amount from 1 part per million to 400 parts per million, lithium in an amount from 1 part per million to 200 parts per million and combinations thereof, except for a combination of germanium and lithium, said elements being in the form of polycondensation compatible elements, compounds, acids, bases, salts, compositions, oxides or organic complexes.

2. (Previously Presented) A multi-component catalyst structure as claimed in claim 1 wherein the monomer is bis-hydroxy-ethyl terephthalate, which is polycondensed to produce polyethylene terephthalate.

3. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is aluminum.

4. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is silicon.

5. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is molybdenum.

6. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is manganese.

7. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is lithium and one or more of aluminum, silicon, molybdenum, and manganese.

8. (Previously Presented) A catalyst structure as claimed in claim 2 wherein the enhancer is two or more of aluminum, silicon, molybdenum, manganese, and lithium.

9. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium and aluminum ~~are selected~~.

10. (Currently Amended) A catalyst structure as claimed in claim 9 wherein the amount level of germanium is 5 to 100 parts per million and the amount level of aluminum is 20 to 200 parts per million.

11. (Currently Amended) A catalyst structure as claimed in claim 9 wherein the amount level of germanium is 5 to 60 parts per million and the amount level of aluminum is 60 to 150 parts per million.

12. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium and silicon ~~are selected~~.

13. (Currently Amended) A catalyst structure as claimed in claim 12 wherein the amount level of germanium is 10 to 80 parts per million and the amount level of silicon is 10 to 200 parts per million.

14. (Currently Amended) A catalyst structure as claimed in claim 12 wherein the amount level of germanium is 20 to 60 parts per million and the amount level of silicon is 20 to 150 parts per million.

15. (Currently Amended) A catalyst structure as claimed in claim 9 comprising ~~wherein~~ germanium and molybdenum ~~are selected~~.

16. (Currently Amended) A catalyst structure as claimed in claim 15 wherein the amount level of germanium is 1 to 100 parts per million and the amount level of molybdenum is 1 to 100 parts per million.

17. (Currently Amended) A catalyst structure as claimed in claim 15 wherein the amount level of germanium is 5 to 60 parts per million and the amount level of molybdenum is 1 to 20 parts per million.

18. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium and manganese ~~are selected~~.

19. (Currently Amended) A catalyst structure as claimed in claim 18 wherein the amount level of germanium is 10 to 80 parts per million and the amount level of manganese is 10 to 200 parts per million.

20. (Currently Amended) A catalyst structure as claimed in claim 18 wherein the amount level of germanium is 20 to 60 parts per million and the amount level of manganese is 20 to 150 parts per million.

21. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, and silicon ~~are selected~~.

22. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, and molybdenum ~~are selected~~.

23. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, and manganese ~~are selected~~.

24. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, and lithium ~~are selected~~.

25. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, and molybdenum ~~are selected~~.

26. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, and manganese ~~are selected~~.

27. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, and lithium ~~are selected~~.

28. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, molybdenum, and manganese ~~are selected~~.

29. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, molybdenum, and lithium ~~are selected~~.

30. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, manganese, and lithium ~~are selected~~.

31. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, and molybdenum ~~are selected~~.

32. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, and manganese ~~are selected~~.

33. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, and lithium ~~are selected~~.

34. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, molybdenum, and manganese ~~are selected~~.

35. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, molybdenum, and lithium ~~are selected~~.

36. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, molybdenum, manganese, and lithium ~~are selected~~.

37. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, molybdenum, and manganese ~~are selected~~.

38. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, manganese, and lithium ~~are selected~~.

39. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, molybdenum, and manganese ~~are selected~~.

40. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, molybdenum, and lithium ~~are selected~~.

41. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, manganese, and lithium ~~are selected~~.

42. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, manganese, and molybdenum ~~are selected~~.

43. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, manganese, and lithium ~~are selected~~.

44. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, silicon, manganese, molybdenum, and lithium ~~are selected~~.

45. (Currently Amended) A catalyst structure as claimed in claim 2 comprising ~~wherein~~ germanium, aluminum, silicon, molybdenum, and lithium ~~are selected~~.

46. (Previously Presented) A multi-component catalyst structure for the polycondensation of a polyester monomer comprising the element germanium and one or more catalyst enhancers selected from the group of elements consisting of silicon in an amount of from 1 part per million to 400 parts per million, molybdenum in an amount of from 1 part per million to 200 parts per million, manganese in an amount of from 1 part per million to 400 parts per million, lithium in an amount of from 1 part per million to 200 parts per million, and combinations thereof, except for a combination of germanium and lithium, said elements being in the form of polycondensation compatible elements, compounds, acids, bases, salts, compositions, oxides or organic complexes.

47. (Previously Presented) A multi-component catalyst structure as claimed in claim 46 wherein the monomer is bis-hydroxy-ethyl terephthalate, which is polycondensed to produce polyethylene terephthalate.

48. (Previously Presented) A catalyst structure as claimed in claim 47 wherein the enhancer is silicon.

49. (Previously Presented) A catalyst structure as claimed in claim 47 wherein the enhancer is molybdenum.

50. (Previously Presented) A catalyst structure as claimed in claim 47 wherein the enhancer is manganese.

51. (Previously Presented) A catalyst structure as claimed in claim 47 wherein the enhancer is lithium and one or more of silicon, molybdenum, and manganese.

52. (Previously Presented) A catalyst structure as claimed in claim 47 wherein the enhancer is two or more of silicon, molybdenum, manganese, and lithium.

53. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium and silicon ~~are selected~~.

54. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium and molybdenum ~~are selected~~.

55. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium and manganese ~~are selected~~.

56. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, and molybdenum ~~are selected~~.

57. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, and manganese ~~are selected~~.

58. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, and lithium ~~are selected~~.

59. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, molybdenum, and manganese ~~are selected~~.

60. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, molybdenum, and lithium ~~are selected~~.

61. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, manganese, and lithium ~~are selected~~.

62. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, molybdenum, and manganese ~~are selected~~.

63. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, molybdenum, and lithium ~~are selected~~.

64. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, molybdenum, manganese, and lithium ~~are selected~~.

65. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, molybdenum, and manganese ~~are selected~~.

66. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, manganese, and lithium ~~are selected~~.

67. (Currently Amended) A catalyst structure as claimed in claim 47 comprising ~~wherein~~ germanium, silicon, manganese, molybdenum, and lithium ~~are selected~~.

68. (Previously Presented) A multi-component catalyst structure for the polycondensation of a polyester monomer comprising the element germanium in an amount of from 1 part per million to 200 parts per million, and the catalyst enhancers aluminum in an



amount of from 1 part per million to 400 parts per million and lithium in an amount of from 1 part per million to 200 parts per million, said elements being in the form of polycondensation compatible elements, compounds, acids, bases, salts, compositions, oxides or organic complexes.

69. (Previously Presented) A multi-component catalyst structure as claimed in claim 68 wherein the monomer is bis-hydroxy-ethyl terephthalate, which is polycondensed to produce polyethylene terephthalate.

70. (Cancelled)

71. (Currently Amended) A catalyst structure as claimed in claim 68 wherein the amount level of germanium is 5 to 100 parts per million, the amount level of aluminum is 20 to 200 parts per million, and the amount level of lithium is 10 to 80 parts per million.

72. (Currently Amended) A catalyst structure as claimed in claim 68 wherein the amount level of germanium is 5 to 30 parts per million, the amount level of aluminum is 60 to 150 parts per million, and the amount level of lithium is 20 to 70 parts per million.

73. (Previously Presented) A catalyst structure as claimed in claim 1 wherein the aluminum is incorporated in the catalyst structure as a phenoxide, a lactate, a stearate, a glycolate, an oxalate, a citrate, or a tartrate.

74. (Previously Presented) A catalyst structure as claimed in claim 1 wherein the lithium is incorporated in the catalyst structure as a hydroxide, an acetate, a citrate, a carbonate, or an oxalate.

75. (Cancelled)

76. (Previously Presented) A catalyst structure as claimed in claim 46 wherein the lithium is incorporated in the catalyst structure as a hydroxide, an acetate, a citrate, a carbonate, or an oxalate.

77. (Previously Presented) A catalyst structure as claimed in claim 68 wherein the aluminum is incorporated in the catalyst structure as a phenoxide, a lactate, a stearate, a glycolate, an oxalate, a citrate, or a tartrate.

78. (Previously Presented) A catalyst structure as claimed in claim 68 wherein the lithium is incorporated in the catalyst structure as a hydroxide, an acetate, a citrate, a carbonate, or an oxalate.